INVERSE MEDIA LLC


Fox Event Graphics Ritz-Carlton, Laguna Niguel April 18, 2023

Download files here: https://www.inversemedia.com/cgs/Fox/




PO Box 1209 Carmel, CA 93921 (203) 581-6657

Overlay panels - Direct print onto 6mm Sintra attached with Remo,




Overlay panels - Direct Print onto 6mm Sintra attached with Remo, before router cutting


13' 0-1/4"




BeMatrix frames & LED tiles



BeMatrix frames & LED tiles with Client AI file superimposed filename: Bematrix-fabric sketch_curved_print template_fnl.ai 13' 2-11/16"




Fox Event Graphics Ritz-Carlton, Laguna Niguel April 18, 2023 BeMatrix frames & LED tiles with (3) Arc panels generated from client file (CT 3-15-2023)



** Note added 6mm to left width to cover the return panel white sintra edge

BeMatrix frames & LED tiles




901 11 08


INVERSE MEDIA LLC Graphics Playbook Version 4 | March 15, 2023

BASE PLATE [0496 X 0992MM] RAL 9006 TEC

BeMatrix frames with 6mm, white, non-print infill panels




BeMatrix frames with **3mm**, white, non-print infill panels




ID	Quantity	Name	Description
1	7	606 0992 0992 30	b62 FRAME [0992 X 0992MM] HOLES D30 ECO
2	18	200 00 00	LEDSKIN TILE (496x496MM) [SET OF 8 PCS - Pitch 2,5]
3	6	606 0496 0992 30	b62 FRAME [0496 X 0992MM] HOLES D30 ECO
4	2	606 0496 0496 30	b62 FRAME [0496 X 0496MM] HOLES D30 ECO
5	3	901 28 0342 ECO	4 PIN 180° D30 ECO
6	1	901 28 0341 ECO	4 PIN 90° D30 ECO
7	1	901 32 0341 BOLT PIN	PIN 90° D30/D8 FRAME-LEDSKIN/MOTIONSKIN
8	2	901 31 0331 INOX	1MM 3 PIN 90° D30
9	9	901 2048 0066 E	TOOLLESS M8 PIN CONNECTOR
10	11	901 2048 0100 E	TOOLLES M8 CONNECTOR LEDSKIN / CORNER PROFILES
11	30	901 2025 0132 POM	TOOLLESS CONNECTOR D30
12	1	901 28 0222 INOX	b62 90° CONNECTION BASE D30
13	7	PANEL FOR b62-b55 FRAME 0992 x 0992	PANEL 3MM [0985 X 0985MM]
14	2	901 11 08	BASE PLATE [0496 X 0992MM] RAL 9006 TEC
15	6	PANEL FOR b62-b55 FRAME 0496 x 0992	PANEL 3MM [0489 X 0985MM]
16	2	PANEL FOR b62-b55 FRAME 0496 x 0496	PANEL 3MM [0489 X 0489MM]

BeMatrix frames with **3mm**, white, non-print infill panels




ID	Quantity	Name	Description
1	7	606 0992 0992 30	b62 FRAME [0992 X 0992MM] HOLES D30 ECO
2	18	200 00 00	LEDSKIN TILE (496x496MM) [SET OF 8 PCS - Pitch 2,5]
3	6	606 0496 0992 30	b62 FRAME [0496 X 0992MM] HOLES D30 ECO
4	2	606 0496 0496 30	b62 FRAME [0496 X 0496MM] HOLES D30 ECO
5	3	901 28 0342 ECO	4 PIN 180° D30 ECO
6	1	901 28 0341 ECO	4 PIN 90° D30 ECO
7	1	901 32 0341 BOLT PIN	PIN 90° D30/D8 FRAME-LEDSKIN/MOTIONSKIN
8	2	901 31 0331 INOX	1MM 3 PIN 90° D30
9	9	901 2048 0066 E	TOOLLESS M8 PIN CONNECTOR
10	11	901 2048 0100 E	TOOLLES M8 CONNECTOR LEDSKIN / CORNER PROFILES
11	30	901 2025 0132 POM	TOOLLESS CONNECTOR D30
12	1	901 28 0222 INOX	b62 90° CONNECTION BASE D30
13	7	PANEL FOR b62-b55 FRAME 0992 x 0992	PANEL 3MM [0985 X 0985MM]
14	2	901 11 08	BASE PLATE [0496 X 0992MM] RAL 9006 TEC
15	6	PANEL FOR b62-b55 FRAME 0496 x 0992	PANEL 3MM [0489 X 0985MM]
16	2	PANEL FOR b62-b55 FRAME 0496 x 0496	PANEL 3MM [0489 X 0489MM]

BeMatrix infill panels - 3mm white sintra, non-print




Fox Event Graphics Ritz-Carlton, Laguna Niguel April 18, 2023 BeMatrix frames with 18 LED tiles (492mm x 492mm @ 2.5 pixel pitch) View from back of unit



18 active LED tiles @ 110 watts MAX = 1980 watts = 16.5 amps @ 120 Volts ORDER (1) 20amp 24-hr. circuit

BeMatrix frames with 18 LED tiles (492mm x 492mm @ 2.5 pixel pitch) View from Front of Unit



----- Content to be designed for a 6x4 LED matrix = **1152 x 768 pixels**